Behavioural Brain Research, 37 (1990) 297–298
Elsevier

Author Index

A

Alvarez, E.O. and Banzan, A.M., Behavioral effects of GABA in the hippocampal formation: functional interaction with histamine, 133
Amblard, B., see Marchand, A.R., 215
Amblard, B., see Marchand, A.R., 227
Amitzi-Zonder, J., see Speiser, Z., 19
Angelucci, L., see Patacchioli, F.R., 185
Ashkenazi, R., see Speiser, Z., 19

B

Banzan, A.M., see Alvarez, E.O., 133
Beck, C.D.O., see Rankin, C.H., 89
Bielajew, C., see Fouriezos, G., 1
Brailowsky, S., see Majchrzak, M., 45
Busber, M. and Schmidt, W.J., 6-Hydroxydopamine lesion of the rat prefrontal cortex increases locomotor activity, impairs acquisition of delayed alternation tasks, but does not affect uninterrupted tasks in the radial maze, 157

C

Cabib, S., see Patacchioli, F.R., 185
Carnoy, P., see Ravard, S., 9
Casolini, P., see Patacchioli, F.R., 185
Chiba, C.M., see Rankin, C.H., 89
Christie, D. and Steele Russell, I., Corpus callosum section disrupts motor behaviour strategies during visual discrimination learning in rat, 189
Christie, D., Terry, P. and Oakley, D.A., The effect of unilateral anteromedial cortex lesions on prey-catching and spatio-motor behaviour in the rat, 263
Cohen, S., see Speiser, Z., 19
Conrad, B., see Kohler, J., 101
Cools, A.R., see Jaspers, R.M.A., 237
Cools, A.R., see Jaspers, R.M.A., 247
Corwin, J.V., see King, V., 169
Crémieux, J., see Marchand, A.R., 227
Cyr, J., see Pisa, M., 281

D

De-la-Cruz, F., Soto-Mora, M.L., Uriostegui, T. and Russek, M., Adrenaline anorexia blocked by alpha and beta adrenergic antagonists in 24-h fasted rats, 145
De Vries, T.J., see Jaspers, R.M.A., 237
De Vries, T.J., see Jaspers, R.M.A., 247

F

Fouriezos, G., Bielajew, C. and Pagotto, W., Task difficulty increases thresholds of rewarding brain stimulation, 1

G

Gitter, J.-S., see Speiser, Z., 19

H

Han, J.-S., see Wang, Q., 149
Herrmann, T., see Poucet, B., 269
Hervé, D., see Ravard, S., 9
Hovda, D.A. and Villablanca, J.R., Sparing of visual field perception in neonatal but not adult cerebral hemispherectomized cats. Relationship with oxidative metabolism of the superior colliculus, 119

I

Isenberg, C., see Kohler, J., 101

J

Jaspers, R.M.A., De Vries, T.J. and Cools, A.R., Effects of intrastriatal apomorphine on changes in switching behaviour induced by the glutamate agonist AMPA injected into the cat caudate nucleus, 247
Jaspers, R.M.A., De Vries, T.J. and Cools, A.R., Enhancement in switching motor patterns following local application of the glutamate agonist AMPA into the cat caudate nucleus, 237

K

Kalli-Laouri, J., see Laouris, Y., 37
King, V. and Corwin, J.V., Neglect following unilateral ablation of the caudal but not the rostral portion of medial agranular cortex of the rat and the therapeutic effect of apomorphine, 169
Kohler, J., Isenberg, C., Schönle, P.W. and Conrad, B., A magnetic measurement device for the kinematic analysis of unrestrained human hand movements, 101

L

Laouris, Y., Kalli-Laouri, J. and Schwartze, P., The postnatal development of the air-righting reaction in albino rats. Quantitative analysis of normal development and the effect of preventing neck–torso and torso–pelvis rotations, 37

M

Maccari, S., see Patacchioli, F.R., 185
Majchrzak, M., Brailowsky, S. and Will, B., Chronic infusion of GABA and saline into the nucleus basalis magnocellularis of rats: II. Cognitive impairments, 45
Mao, L.-M., see Wang, Q., 149
Marchand, A.R. and Amblard, B., Early sensory determinants of locomotor speed in adult cats: I. Visual compensation after bilabyrinthectomy in cats and kittens, 215
Marchand, A.R., Crémieux, J. and Amblard, B., Early sensory determinants of locomotor speed in adult cats: II. Effects of strobe rearing on vestibular functions, 227
McDonald, R.J., see Sutherland, R.J., 57
Milner, A.D. and Taylor, M.J., Auditory orienting and detection in rats following lesions of the superior colliculus, 293

O

Oakley, D.A., see Christie, D., 263
Oliverio, A., see Patacchioli, F.R., 185

P

Pagotto, W., see Fouriezos, G., 1
Patacchioli, F.R., Puglisi-Allegra, S., Maccari, S., Casolini, P., Angelucci, L., Cabib, S. and Oliverio, A., Strain-dependent differences in hippocampal glucocorticoid binding capacity and active avoidance in the mouse, 185
Phillips, D.P., Neural representation of sound amplitude in the auditory cortex: effects of noise masking, 197
Pisa, M. and Cyr, J., Regionally selective roles of the rat's striatum in modality-specific discrimination learning and forelimb reaching, 281
Poucet, B. and Herrmann, T., Septum and medial frontal cortex contribution to spatial problem-solving, 269
Puglisi-Allegra, S., see Patacchioli, F.R., 185

R

Rankin, C.H., Beck, C.D.O. and Chiba, C.M., *Caenorhabditis elegans*: a new model system for the study of learning and memory, 89
Ravard, S., Carnoy, P., Hervé, D., Tassin, J.-P., Thiébot, M.-H. and Soubrié, P., Involvement of prefrontal dopamine neurones in behavioural blockade induced by controllable vs uncontrollable negative events in rats, 9
Riekkinen, P., see Riekkinin Jr., P., 81
Riekkinin Jr., P., Sirviö, J. and Riekkinen, P., Similar memory impairments found in medial septal-vertical diagonal band of Broca and nucleus basalis lesioned rats: are memory defects induced by nucleus basalis lesions related to the degree of non-specific subcortical cell loss? 81
Russek, M., see De-la-Cruz, F., 145

S

Scherschlicht, R., see Tobler, I., 145
Schmidt, W.J., see Bubser, M., 157
Schönle, P.W., see Kohler, J., 101
Schwartze, P., see Laouris, Y., 37
Sirviö, J., see Riekkinin Jr., P., 81
Soto-Mora, M.L., see De-la-Cruz, F., 145
Soubrié, P., see Ravard, S., 9
Speiser, Z., Amitzi-Zonder, J., Ashkenazi, R., Gitter, S. and Cohen, S., Central catecholaminergic dysfunction and behavioral disorders following hypoxia in adult rats, 19
Steele Russell, I., see Christie, D., 189
Sutherland, R.J. and McDonald, R.J., Hippocampus, amygdala, and memory deficits in rats, 57

T

Tassin, J.-P., see Ravard, S., 9
Taylor, M.J., see Milner, A.D., 293
Terry, P., see Christie, D., 263
Thiébot, M.-H., see Ravard, S., 9
Tobler, I. and Scherschlicht, R., Sleep and EEG slow-wave activity in the domestic cat: effect of sleep deprivation, 109

U

Uriostegui, T., see De-la-Cruz, F., 145

V

Van de Poll, N.E., see Van Hest, A., 29
Van Haaren, F. and Van Hest, A., Fixed-consecutive-number performance in male and female Wistar rats, 255
Van Haaren, F., see Van Hest, A., 29
Van Hest, A., see Van Haaren, F., 255
Van Hest, A., Van Haaren, F. and Van de Poll, N.E., Visual and auditory delayed discriminations in male and female Wistar rats, 29
Villablanca, J.R., see Hovda, D.A., 119

W

Wang, Q., Mao, L.-M. and Han, J.-S., Diencephalon as a cardinal neural structure for mediating 2-Hz but not 100-Hz electroacupuncture-induced tail flick reflex suppression, 149
Webster, W.G., Evidence in bimanual finger-tapping of an attentional component to stuttering, 93
Will, B., see Majchrzak, M., 45

Behavioural Brain Research, 37 (1990) 299–304
Elsevier

Key Word Index

A

active avoidance
adulthood hypoxia; catecholaminergic dysfunction; hypoactivity; passive avoidance; stereotypic behavior, 19

corticosterone binding capacity; hippocampus; inbred mouse, 185

Adrenaline
anorexia; phentolamine; propranolol, 145

Adulthood hypoxia
active avoidance; catecholaminergic dysfunction; hypoactivity; passive avoidance; stereotypic behavior, 19

Age-at-lesion
visual field; recovery of function; superior colliculus; cerebral hemispherectomy; cytochrome oxidase; cerebral metabolism, 119

Air-righting reaction
postnatal development; chain reflex; motor program; rat, 37

γ-Aminobutyric acid
cholinergic system; gliosis; nucleus basalis; passive avoidance; radial maze; recovery; saline; spatial mapping; turning, 45

hippocampus; histamine; behavior; exploratory activity, 133

Amygdala
hippocampus; memory deficit; rat, 57

Angular difference threshold
corpus callosum; running pattern; ocular neglect; anteromedial cortex; recovery of function; rat, 189

Anorexia
adrenaline; phentolamine; propranolol, 145

Anteromedial cortex
corpus callosum; angular difference threshold; running pattern; ocular neglect; recovery of function; rat, 189

neglect; bar-pressing; prey-catching; recovery, 263

Apomorphine
caudate nucleus; glutamate; dopamine; behaviour; cat; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; switching, 247

medial agranular cortex; neglect; frontal eye field; rat, 169

Auditory
superior colliculus; orienting; detection; dissociation; rat, 293

Auditory cortex
neural representation; signal amplitude; masking, 197

B

Bar-pressing
anteromedial cortex; neglect; prey-catching; recovery, 263

Behaviour
hippocampus; γ-aminobutyric acid; histamine; exploratory activity, 133

caudate nucleus; glutamate; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; quisqualate receptor; switching; cat, 237

caudate nucleus; glutamate; dopamine; cat; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; apomorphine; switching, 247

Bimanual coordination
stuttering; finger-tapping; interhemispheric process, 93

Brain-stimulation reward
self-stimulation; curve-shift paradigm; task difficulty, 1

C

Caenorhabditis elegans
non-associative learning; habituation; dishabituation; sensitization; long-term memory; model system, 89

Cat
caudate nucleus; glutamate; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; quisqualate receptor; behaviour; switching, 237

caudate nucleus; glutamate; dopamine; behaviour; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; apomorphine; switching, 247

labyrinthectomy; ontogenesis; locomotion; vision; strobe rearing, 227

locomotion; vision; labyrinthectomy, 215

sleep deprivation; EEG; slow-wave activity, 109

Catecholaminergic dysfunction
active avoidance; adulthood hypoxia; hypoactivity; passive avoidance; stereotypic behavior, 19

Caudate nucleus
glutamate; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; quisqualate receptor; behaviour; switching; cat, 237

glutamate; dopamine; behaviour; cat; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; apomorphine; switching, 247

Caudate-putamen
discrimination learning; neostriatum; ibotenic acid; motor control; reaching; striatum, 281

Cerebral hemispherectomy
visual field; recovery of function; superior colliculus; age-at-lesion; cytochrome oxidase; cerebral metabolism, 119

Cerebral metabolism
visual field; recovery of function; superior colliculus; cerebral hemispherectomy; age-at-lesion; cytochrome oxidase, 119

Chain reflex
air-righting reaction; postnatal development; motor program; rat, 37

Cholinergic cell loss
spatial navigation; nucleus basalis; medial septal-vertical diagonal band of Broca; non-specific cell loss, 81

Cholinergic system
γ-aminobutyric acid; gliosis; nucleus basalis; passive avoidance; radial maze; recovery; saline; spatial mapping; turning, 45

Conflict
dopamine; prefrontal cortex; 6-hydroxydopamine; swimming test; learned helplessness; rat, 9

Corpus callosum
angular difference threshold; running pattern; ocular neglect; anteromedial cortex; recovery of function; rat, 189

Cortex
prefrontal cortex; dopamine; T-maze; radial maze; interference; 6-hydroxydopamine; locomotor activity; rat, 157

Corticosterone binding capacity
hippocampus; active avoidance; inbred mouse, 185

Curve-shift paradigm
self-stimulation; brain stimulation reward; task difficulty, 1

Cytochrome oxidase
visual field; recovery of function; superior colliculus; cerebral hemispherectomy; age-at-lesion; cerebral metabolism, 119

D

Delayed discrimination
discrete-trial procedure; lever-press; male Wistar rat; female Wistar rat, 29

Detection
superior colliculus; auditory; orienting; rat; dissociation, 293

Diencephalon
electroacupuncture; tail flick latency; telencephalon; frequency; rat, 149

Discrete-trial procedure
delayed discrimination; lever-press; male Wistar rat; female Wistar rat, 29

Discrimination learning
caudate-putamen; neostriatum; ibotenic acid; motor control; reaching; striatum, 281

Dishabituation
non-associative learning; habituation; sensitization; long-term memory; *Caenorhabditis elegans*; model system, 89

Dissociation
superior colliculus; auditory; orienting; detection; rat, 293

DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid
caudate nucleus; glutamate; dopamine; behaviour; cat; apomorphine; switching, 247

caudate nucleus; glutamate; quisqualate receptor; behaviour; switching; cat, 237

Dopamine
caudate nucleus; glutamate; behaviour; cat; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; apomorpine; switching, 247

prefrontal cortex; cortex; T-maze; radial maze; interference; 6-hydroxydopamine; locomotor activity; rat, 157

prefrontal cortex; 6-hydroxydopamine; swimming test; learned helplessness; conflict; rat, 9

E

EEG
sleep deprivation; slow-wave activity; cat, 109

Electroacupuncture
tail flick latency; telencephalon; diencephalon; frequency; rat, 149

Exploration
spatial learning; spatial memory; stereotypic behaviour; medial frontal cortex; septum, 269

Exploratory activity
hippocampus; γ-aminobutyric acid; histamine; behavior, 133

F

Female rat
fixed-consecutive-number schedule; response rate; response efficiency; lever-press; male rat, 255

Female Wistar rat
delayed discrimination; discrete-trial procedure; lever-press; male Wistar rat, 29

Finger-tapping
stuttering; bimanual coordination; interhemispheric process, 93

Fixed-consecutive-number schedule
response rate; response efficiency; lever-press; male rat; female rat, 255

Frequency
electroacupuncture; tail flick latency; telencephalon; diencephalon; rat, 149

Frontal eye field
medial agranular cortex; neglect; apomorphine; rat, 169

G

Gliosis
cholinergic system; γ-aminobutyric acid; nucleus basalis; passive avoidance; radial maze; recovery; saline; spatial mapping; turning, 45

Glutamate
caudate nucleus; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; quisqualate receptor; behaviour; switching; cat, 237

caudate nucleus; dopamine; behaviour; cat; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; apomorphine; switching, 247

H

Habituation
non-associative learning; dishabituation; sensitization; long-term memory; *Caenorhabditis elegans*; model system, 89

Hand
method; kinematic analysis; multi-joint movement; human, 101

Hippocampus
γ-aminobutyric acid; histamine; behavior; exploratory activity, 133

amygdala; memory deficit; rat, 57

corticosterone binding capacity; active avoidance; inbred mouse, 185

Histamine
hippocampus; γ-aminobutyric acid; behavior; exploratory activity, 133

Human
method; kinematic analysis; multi-joint movement; hand, 101

6-Hydroxydopamine
dopamine; prefrontal cortex; swimming test; learned helplessness; conflict; rat, 9

prefrontal cortex; cortex; dopamine; T-maze; radial maze; interference; locomotor activity; rat, 157

Hypoactivity
active avoidance; adulthood hypoxia; catecholaminergic dysfunction; passive avoidance; stereotypic behavior, 19

I

Ibotenic acid
caudate-putamen; discrimination learning; neostriatum; motor control; reaching; striatum, 281

Inbred mouse
corticosterone binding capacity; hippocampus; active avoidance, 185

Interference
prefrontal cortex; cortex; dopamine; T-maze; radial maze; 6-hydroxydopamine; locomotor activity; rat, 157

Interhemispheric process
stuttering; bimanual coordination; finger-tapping, 93

K

Kinematic analysis
method; multi-joint movement; hand; human, 101

L

Labyrinthectomy
ontogenesis; locomotion; vision; strobe rearing; cat, 227

Learned helplessness
dopamine; prefrontal cortex; 6-hydroxydopamine; swimming test; conflict; rat, 9

Lever-press
delayed discrimination; discrete-trial procedure; male Wistar rat; female Wistar rat, 29

fixed-consecutive-number schedule; response rate; response efficiency; male rat; female rat, 255

Locomotion
labyrinthectomy; ontogenesis; vision; strobe rearing; cat, 227

vision; cat, labyrinthectomy, 215

Locomotor activity
prefrontal cortex; cortex; dopamine; T-maze; radial maze; interference; 6-hydroxydopamine; rat, 157

Long-term memory
non-associative learning; habituation; dishabituation; sensitization; *Caenorhabditis elegans*; model system, 89

M

Male rat
fixed-consecutive-number schedule; response rate; response efficiency; lever-press; female rat, 255

Male Wistar rat
delayed discrimination; discrete-trial procedure; lever-press; female Wistar rat, 29

Masking
auditory cortex; neural representation; signal amplitude, 197

Medial agranular cortex
neglect; frontal eye field; apomorphine; rat, 169

Medial frontal cortex
spatial learning; spatial memory; exploration; stereotypic behaviour; septum, 269

Medial septal-vertical diagonal band of Broca
spatial navigation; nucleus basalis; non-specific cell loss; cholinergic cell loss, 81

Memory deficit
hippocampus; amygdala; rat, 57

Method
kinematic analysis; multi-joint movement; hand; human, 101

Model system
non-associative learning; habituation; dishabituation; sensitization; long-term memory; *Caenorhabditis elegans*, 89

Motor control
caudate-putamen; discrimination learning; neostriatum; ibotenic acid; reaching; striatum, 281

Motor program
air-righting reaction; postnatal development; chain reflex; rat, 37

Multi-joint movement
method; kinematic analysis; hand; human, 101

N

Neglect
anteromedial cortex; bar-pressing; prey-catching; recovery, 263

medial agranular cortex; frontal eye field; apomorphine; rat, 169

Neostriatum
caudate-putamen; discrimination learning; ibotenic acid; motor control; reaching; striatum, 281

Neural representation
auditory cortex; signal amplitude; masking, 197

Non-associative learning
habituation; dishabituation; sensitization; long-term memory; *Caenorhabditis elegans*; model system, 89

Non-specific cell loss
spatial navigation; nucleus basalis; medial septal-vertical diagonal band of Broca; cholinergic cell loss, 81

Nucleus basalis
cholinergic system; γ-aminobutyric acid; gliosis; passive avoidance; radial maze; recovery; saline; spatial mapping; turning, 45

spatial navigation; medial septal-vertical diagonal band of Broca; non-specific cell loss; cholinergic cell loss, 81

O

Ocular neglect
corpus callosum; angular difference threshold; running pattern; anteromedial cortex; recovery of function; rat, 189

Ontogenesis
labyrinthectomy; locomotion; vision; strobe rearing; cat, 227

Orienting
superior colliculus; auditory; detection; rat; dissociation, 293

P

Passive avoidance
active avoidance; adulthood hypoxia; catecholaminergic dysfunction; hypoactivity; stereotypic behavior, 19

cholinergic system; γ-aminobutyric acid; gliosis; nucleus basalis; radial maze; recovery; saline; spatial mapping; turning, 45

Phentolamine
anorexia; adrenaline; propranolol, 145

Postnatal development
air-righting reaction; chain reflex; motor program; rat, 37

Prefrontal cortex
cortex; dopamine; T-maze; radial maze; interference; 6-hydroxydopamine; locomotor activity; rat, 157

dopamine; 6-hydroxydopamine; swimming test; learned helplessness; conflict; rat, 9

Prey-catching
anteromedial cortex; neglect; bar-pressing; recovery, 263

Propranolol
anorexia; adrenaline; phentolamine, 145

Q

Quisqualate receptor
caudate nucleus; glutamate; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; behaviour; switching; cat, 237

R

Radial maze
cholinergic system; γ-aminobutyric acid; gliosis; nucleus basalis; passive avoidance; recovery; saline; spatial mapping; turning, 45

prefrontal cortex; cortex; dopamine; T-maze; interference; 6-hydroxydopamine; locomotor activity; rat, 157

Rat
air-righting reaction; postnatal development; chain reflex; motor program, 37

corpus callosum; angular difference threshold; running pattern; ocular neglect; anteromedial cortex; recovery of function, 189

dopamine; prefrontal cortex; 6-hydroxydopamine; swimming test; learned helplessness; conflict, 9

electroacupuncture; tail flick latency; telencephalon; diencephalon; frequency, 149

hippocampus; amygdala; memory deficit, 57

medial agranular cortex; neglect; frontal eye field; apomorphine, 169

prefrontal cortex; cortex; dopamine; T-maze; radial maze; interference; 6-hydroxydopamine; locomotor activity, 157

superior colliculus; auditory; orienting; detection; dissociation, 293

Reaching
caudate-putamen; discrimination learning; neostriatum; ibotenic acid; motor control; striatum, 281

Recovery
anteromedial cortex; neglect; bar-pressing; prey-catching, 263

cholinergic system; γ-aminobutyric acid; gliosis; nucleus basalis; passive avoidance; radial maze; saline; spatial mapping; turning, 45

Recovery of function
corpus callosum; angular difference threshold; running pattern; ocular neglect; anteromedial cortex; rat, 189

visual field; superior colliculus; cerebral hemispherectomy; age-at-lesion; cytochrome oxidase; cerebral metabolism, 119

Response efficiency
fixed-consecutive-number schedule; response rate; lever-press; male rat; female rat, 255

Response rate
fixed-consecutive-number schedule; response efficiency; lever-press; male rat; female rat, 255

Running pattern
corpus callosum; angular difference threshold; ocular neglect; anteromedial cortex; recovery of function; rat, 189

S

Saline
cholinergic system; γ-aminobutyric acid; gliosis; nucleus basalis; passive avoidance; radial maze; recovery; spatial mapping; turning, 45

Self-stimulation
brain-stimulation reward; curve-shift paradigm; task difficulty, 1

Sensitization
non-associative learning; habituation; dishabituation; long-term memory; *Caenorhabditis elegans*; model system, 89

Septum
spatial learning; spatial memory; exploration; stereotypic behaviour; medial frontal cortex, 269

Signal amplitude
auditory cortex; neural representation; masking, 197

Sleep deprivation
EEG; slow-wave activity; cat, 109

Slow-wave activity
sleep deprivation; EEG; cat, 109

Spatial learning
spatial memory; exploration; stereotypic behaviour; medial frontal cortex; septum, 269

Spatial mapping
cholinergic system; γ-aminobutyric acid; gliosis; nucleus basalis; passive avoidance; radial maze; recovery; saline; turning, 45

Spatial memory
spatial learning; exploration; stereotypic behaviour; medial frontal cortex; septum, 269

Spatial navigation
nucleus basalis; medial septal-vertical diagonal band of Broca; non-specific cell loss; cholinergic cell loss, 81

Stereotypic behaviour
active avoidance; adulthood hypoxia; catecholaminergic dysfunction; hypoactivity; passive avoidance, 19

spatial learning; spatial memory; exploration; medial frontal cortex; septum, 269

Striatum
caudate-putamen; discrimination learning; neostriatum; ibotenic acid; motor control; reaching, 281

Strobe rearing
labyrinthectomy; ontogenesis; locomotion; vision; cat, 227

Stuttering
bimanual coordination; finger-tapping; interhemispheric process, 93

Superior colliculus
auditory; orienting; detection; rat; dissociation, 293

visual field; recovery of function; cerebral hemispherectomy; age-at-lesion; cytochrome oxidase; cerebral metabolism, 119

Swimming test
dopamine; prefrontal cortex; 6-hydroxydopamine; learned helplessness; conflict; rat, 9

Switching
caudate nucleus; glutamate; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; quisqualate receptor; behaviour; cat, 237

caudate nucleus; glutamate; dopamine; behaviour; cat; DL-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid; apomorphine, 247

T

Tail flick latency
electroacupuncture; telencephalon; diencephalon; frequency; rat, 149

Task difficulty
self-stimulation; brain-stimulation reward; curve-shift paradigm, 1

Telencephalon
electroacupuncture; tail flick latency; diencephalon; frequency; rat, 149

T-maze
prefrontal cortex; cortex; dopamine; radial maze; interference; 6-hydroxydopamine; locomotor activity; rat, 157

Turning
cholinergic system; γ-aminobutyric acid; gliosis; nucleus basalis; passive avoidance; radial maze; recovery; saline; spatial mapping, 45

V

Vision
labyrinthectomy; ontogenesis; locomotion; strobe rearing; cat, 227

locomotion; cat; labyrinthectomy, 215

Visual field
recovery of function; superior colliculus; cerebral hemispherectomy; age-at-lesion; cytochrome oxidase;